

# PAKISTAN INSTITUTE FOR PARLIAMENTARY SERVICES

DEDICATED TO PARLIAMENTARY EXCELLENCE

**PIPS INFORGRAPHICS: 009** 

2022

## **GOAL 3: GOOD HEALTH AND WELL-BEING**

**Compiled By** 

**PIPS SDGs Desk** 



To ensure healthy lives and promote well-being for all at all ages



For more information or feedback contact us at research@pips.gov.pk

#### **GOAL 3: GOOD HEALTH AND WELL-BEING**

#### A. General Statistics

- i. The cumulative health expenditure of the federal and provincial governments in the FY 2019-20 amounted to Rs. 482.3 billion (1.2 % of GDP), compared to the FY 2014-15, where the expenditure amounted to Rs. 231.17 billion (0.7% of GDP).<sup>1</sup>
- ii. The number of registered medical and paramedical personnel in 2020 (p<sup>2</sup>) was as follows<sup>3</sup>
  - Doctors= 245,987
  - Dentists= 27,360
  - Nurses= 116,659
  - Midwives= 43,129
  - Lady health visitors= 21,361
- iii. Total fertility rate (TFR) in Pakistan is 3.9%.<sup>4</sup>
- iv. The modern Contraceptive Prevalence Rate is 34%.<sup>5</sup>
- v. The Life expectancy at birth, total (years) in 2020 was 67.3.<sup>6</sup>
- vi. Pakistan has the fifth highest TB burden worldwide, with an estimated 510,000 new TB cases emerging every year.<sup>7</sup>
- vii. Tobacco use is the cause of the death of approximately 160,000 Pakistanis each year while approximately 24 million Pakistanis currently use tobacco in various forms.<sup>8</sup>
- viii. According to the National Nutrition Survey 2018, the Prevalence of Malnutrition in Pakistan is as follows:<sup>9</sup>
  - stunting (children under five)= 40.2% (4 out of 10 children)
  - Wasted (children under five) = 17.7%
  - Underweight (children under five) = 28.9% (01 out of 03 children)
  - Overweight (children under five) = 9.5%
  - Overweight (Women of Reproductive Age 15-49 years)= 24%

<sup>&</sup>lt;sup>1</sup> Finance Division Pakistan, *Pakistan Economic Survey 2020-21* (Islamabad: Printing Corporation of Pakistan Press, 2021).

<sup>&</sup>lt;sup>2</sup> Provisional

<sup>&</sup>lt;sup>3</sup> Finance Division, *Pakistan Economic Survey 2020-21*.

<sup>&</sup>lt;sup>4</sup> National Institute of Population Studies (NIPS) [Pakistan] and ICF, *Pakistan Maternal Mortality Survey 2019: Key Indicators Report.* (Islamabad, Pakistan, and Rockville, Maryland, USA: NIPS and ICF, 2020).

<sup>&</sup>lt;sup>5</sup> Finance Division, *Pakistan Economic Survey 2020-21*.

<sup>&</sup>lt;sup>6</sup> Finance Division, *Pakistan Economic Survey 2020-21*.

<sup>&</sup>lt;sup>7</sup> Finance Division, *Pakistan Economic Survey 2020-21*.

<sup>&</sup>lt;sup>8</sup> Finance Division, Pakistan Economic Survey 2019-20.

<sup>&</sup>lt;sup>9</sup> MoNHSRC, National Nutrition Survey, 2018

- Obese (Women of Reproductive Age 15-49 years)= 13.8%
- Approximately 18.3% (38 million) of the country's Population is food insecure.
- ix. The economic cost of malnutrition is about 3% (\$7.6 billion) of Pakistan's GDP loss every year.<sup>10</sup>
- x. The availability of calories through major food commodities was 2,580 in 2020-21 (provisional value).<sup>11</sup>
- xi. Air pollution is Pakistan's sixth largest risk factor for mortality, accounting for more than 9% of deaths (128,000) in 2017 alone.<sup>12</sup>
- xii. There were 128,000 deaths due to air pollution in 2017.<sup>13</sup>

### **B.** Progress Tracking

#### Table 3Status of Indicators-SDG 3

Code	Indicator	Year	Value	Year	Latest Value	Unit	Target by 2030
3.1.1	Maternal Mortality Ratio per 100,000 live births	2014- 15	276 <sup>14</sup>	2019	186 <sup>15</sup>	%	179
3.1.2	Proportion of births attended by skilled health personnel	2012- 13	52.1; Urban 60.1, Rural 29.8 <sup>16</sup>	2017- 18	69; Urban=83.8, Rural=62.6 <sup>17</sup>	%	

<sup>&</sup>lt;sup>10</sup> Finance Division, *Pakistan Economic Survey 2019-20*.

<sup>&</sup>lt;sup>11</sup> Finance Division, *Pakistan Economic Survey* 2020-21.

<sup>&</sup>lt;sup>12</sup> Health Effects Institute, "State of Global Air 2019," Available at: http://www.stateofglobalair.org/sites/default/files/soga\_2019\_pakistan.pdf

<sup>&</sup>lt;sup>13</sup> Health Effects Institute, "State of Global Air 2019".

<sup>&</sup>lt;sup>14</sup>MoPDR, Sustainable Development Goals National Framework 2018.

<sup>&</sup>lt;sup>15</sup> National Institute of Population Studies Pakistan, 2019 Pakistan Maternal Mortality Survey Summary Report (Islamabad, National Institute of Population Studies and ICF, 2020); It excludes Azad Jammu & Kashmir (AJK) and Gilgit Baltistan (GB).

<sup>&</sup>lt;sup>16</sup> National Institute of Population Studies (NIPS) [Pakistan] and ICF International, *Pakistan Demographic and Health Survey 2012-13*. (Islamabad, Pakistan, and Calverton, Maryland, USA: NIPS and ICF International, 2013).

3.2.1	Under-Five mortality rate	2012- 13	89; Urban 74, Rural 106 <sup>18</sup>	2017- 18	74; Urban= 56, Rural=83 <sup>19</sup>	Per 1,000 live births	40
3.2.2	Neonatal mortality rate	2014- 15	55 <sup>20</sup>	2017- 18	42; Urban=37, Rural=45 <sup>21</sup>	Per 1,000 live births	25
3.3.1	Incidence of HIV, ages 15- 49 (per 1,000 uninfected population ages 15-49)	2015	0.096 <sup>22</sup>	2019	0.2 <sup>23</sup>	Per 1,000 uninfect ed populati on)	
3.3.2	TB incidence per 100,000 population			2018- 19	2.29 <sup>24</sup>	Per 100,000 populati on	
3.3.3	Malaria incidence per 1,000 population at risk			2018- 19	19.95 <sup>25</sup>	Per 1000 populati on	

 <sup>&</sup>lt;sup>17</sup> National Institute of Population Studies and ICF, *Pakistan Demographic Health Survey 2017-18* (Islamabad, Pakistan and Rockville, Maryland, USA: NIPS and ICF, 2019).
 <sup>18</sup> Pakistan Demographic Health Survey, 2012-13.
 <sup>19</sup> Pakistan Demographic Health Survey, 2017-18.

- <sup>20</sup> MoPDR, Sustainable Development Goals National Framework 2018.
- <sup>21</sup> Pakistan Demographic Health Survey, 2017-18

<sup>&</sup>lt;sup>22</sup> WHO, "Pakistan- World Health Data Platform," *The Global Health Observatory* Available at: https://www.who.int/data/gho/data/countries/country-details/GHO/pakistan?countryProfileId=314d19a1-bfdc-4611a586-54cd8aec3531

<sup>&</sup>lt;sup>23</sup> The World Bank, "Incidence of HIV, ages 15-49 (per 1,000 uninfected population ages 15-49)," Available at: https://data.worldbank.org/indicator/SH.HIV.INCD.ZS<sup>24</sup> Pakistan Bureau of Statistics (PBS), *Pakistan Social and Living Standards Measurement Survey (PSLM) 2018-19* 

National/ Provincial (Social Report) (Islamabad: PBS, 2020).

<sup>&</sup>lt;sup>25</sup> PBS. Pakistan Social and Living Standards Measurement Survey (PSLM) 2018-19.

3.3.4	HepatitisBincidenceper100,000population			2018- 19	685.64 <sup>26</sup>	Per 100,000 populati on	
3.7.1	Proportion of women of reproductive age (aged 15- 49 years) who have their need for family planning satisfied with modern methods	2014- 15; 2012- 13	47% <sup>27</sup> ; 15-29= 27.3, 45- 49= 55; Urban=5 1.7, Rural=44 .3 <sup>28</sup>	2017- 18	48.6; Urban=50.2, Rural=47.5 <sup>29</sup>	%	70.50%
3.7.2	Adolescurt birth rate (aged 10-14 years; aged 15-19 years) per 1,000 women in that age grout	2012- 13	44; Urban= 27, Rural=53 <sub>30</sub>	2017- 18	Aged 15- 19=46, Urban=42, Rural=47 <sup>31</sup>	Per 1,000	Half the present value

<sup>&</sup>lt;sup>26</sup> PBS, PSLM 2018-19.
<sup>27</sup> MoPDR, Sustainable Development Goals National Framework 2018.
<sup>28</sup> Pakistan Demographic Health Survey, 2012-13
<sup>29</sup> Data available for currently married women
<sup>30</sup> Pakistan Demographic Health Survey, 2012-13
<sup>31</sup> Pakistan Demographic Health Survey, 2017-18

3.8.2	Number of people covered by health insurance or a public health system per 1,000 population			2018-19	56 <sup>32</sup>	Per 1,000 populati on	
3.a.1	Age- standardized prevalence of current tobacco use among persons aged 15 years and older	2012-13	Females= 6.7, Males= 49.6 <sup>33</sup>	2017-18	Total= 13.7, Females=4.7, Males=22.6 <sup>34</sup>	%	
3.b.1	Proportion of the target population (children aged 12-23 months) covered by all vaccines included in their national programme		54 <sup>35</sup>	2017- 18	All basic vaccines=65.5 %, DPT containing vaccine= 75.4, measles containing vaccine= 66.6, pneumococcal conjugate vaccine= 74.7 <sup>36</sup>	%	

 <sup>&</sup>lt;sup>32</sup> PBS, *PSLM 2018-19*.
 <sup>33</sup> Pakistan Demographic Health Survey, 2012-13
 <sup>34</sup> Pakistan Demographic Health Survey, 2017-18; data available for women and men age 15-49 only.
 <sup>35</sup> Pakistan Demographic Health Survey, 2012-13
 <sup>36</sup> Pakistan Demographic Health Survey, 2017-18